

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

APPLICATION OF COLUMBIA GAS OF KENTUCKY,)
INC. FOR A LIMITED DEVIATION FROM THE) CASE NO.
REQUIREMENTS OF 807 KAR 5:022, SECTION) 2015-00084
14(22)(a))

ORDER


On March 12, 2015, pursuant to 807 KAR 5:022, Section 18, Columbia Gas of Kentucky, Inc. ("Columbia") applied for a limited deviation from 807 KAR 5:022, Section 14(22)(a), the Commission's regulation regarding recording pressure gauges. Columbia responded to three rounds of requests for information issued by Commission Staff. There are no intervenors in this matter. Discovery having been completed, the Commission must now determine whether a hearing is needed or whether the matter can be decided upon the evidence of record.

IT IS THEREFORE ORDERED that, no later than five days from the date of this Order, Columbia shall file a statement as to whether there are any material issues of fact that warrant a hearing or whether this case may be submitted for adjudication based on the existing record without a hearing.

By the Commission

ATTEST:


Executive Director



*Columbia Gas of Kentucky, Inc.
2001 Mercer Road
P. O. Box 14241
Lexington, KY 40512-4241

*Honorable Stephen B Seiple
Attorney at Law
Columbia Gas of Kentucky, Inc.
290 W. Nationwide Blvd.
Columbus, OHIO 43215